

		Min.		H	H	R T I		H	D	C	
		Thk	Flame	W	A	Elec	Mech	T	9	T	
Material Dsg	Color	mm	Class	I	I		Imp	Str	R	5	I
Phenolic Molding Compound (PMC), "LONGLITE", furnished as granular material.											
T373J	BK, BN	1	V-1	2	0	150	150	150	3	6	4
	NC	1	V-0	2	0	150	150	150			
	NC, BK, BN	2	V-0	1	0	150	150	150			
T375J	BK, BN	0.45	V-0	-	-	150	150	150	4	5	3
		0.75	V-0	1	0	150	150	150			
		1.5	V-0	0	0	150	150	150			
		3	V-0	0	0	150	150	150			
Phenolic Molding Compound (PMC), "LONGLITE", furnished as pellets.											
T-355J	BK	0.62	V-0	1	0	150	150	150	2	5	3
		0.75	V-0	1	0	150	150	150			
		1	V-0	1	0	150	150	150			
Phenolic Molding Compound (PMC), "LONGLITE", furnished as pellets, granular material, or powder.											
T200HF	BK	0.4	V-0	3	0	150	150	150	2	5	3
		0.7	V-0	0	0	150	150	150			
		3.2	V-0	0	0	150	150	150			
T375HF	BK	0.43	V-0	0	0	150	150	150	3	4	4
		0.75	V-0	0	0	150	150	150			
		3.2	V-0	0	0	150	150	150			
Polybutylene Terephthalate (PBT), glass reinforced, "LONGLITE", furnished as pellets.											
4115 (a)	ALL	0.75	V-0	4	0	120	120	140	1	6	3
		1.5	V-0	3	1	120	120	140			
		3	V-0	1	0	120	120	140			
4130 (a)	ALL	0.4	V-0	4	0	75	75	75	4	7	2
		0.74	V-0	4	0	120	120	140			
		1.5	V-0	3	0	120	120	140			
		3	V-0	2	0	120	120	140			
4830	ALL	3.0-3.2	V-0	0	1	75	75	75	2	7	3
	ALL	1.6	V-0	3	0	75	75	75	3	7	3
		3.2	V-0	2	0	75	75	75			
Polybutylene Terephthalate (PBT), "LONGLITE", furnished as pellets.											
4815	ALL	3.0-3.2	V-0	1	3	75	75	75	2	7	3

(a) - Ball pressure temperature of 210 C in accordance with IEC.695.10.2 and IEC 950.5.4.10

Marking: Company name or tradename "LONGLITE" , "SUMIKON" or trademark and material designation on container, wrapper or finished part.

Copyright ?2009 Underwriters Laboratories Inc.®



Last Updated on 2008-11-26

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2009 Underwriters Laboratories Inc.®"